EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	11	726/1,11.ccls. and 713/176,179.ccls. and @ad<"20030624"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/04/19 14:35
L2	1	726/11.ccls. and 713/176,179.ccls. and @ad<"20030624"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/04/19 14:36
L3	0	hash$4 near10 packet$4 near10 connection$4 near10 table$4 and 713/176,179.ccls. and @ad<"20030624"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/04/19 14:36
L4	0	hash$4 near10 connection$4 near10 table$4 and 713/176,179.ccls. and @ad<"20030624"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/04/19 14:36
L5	0	index$4 near10 connection$4 near10 table$4 and 713/176,179.ccls. and @ad<"20030624"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/04/19 14:37
L6	19	index$4 near10 connection$4 near10 table$4 and "713"/$.ccls. and @ad<"20030624"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/04/19 14:49
L15	6	table$4 near10 hash$4 same address$4 and "713"/176,179.ccls. and @ad<"20030624"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/04/19 14:50
L16	16	table$4 near10 hash$4 same address$4 and 726/1,11.ccls. and @ad<"20030624"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/04/19 14:51
L22	8	hash$4 near10 nAT near10 table$4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/04/19 15:21

EAST Search History

L23	1	stateful near5 firewall$4 same nAT near10 table$4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/04/19 15:22
L24	0	stateful near5 firewall$4 same translat$4 near10 table$4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/04/19 15:22
L25	86	firewall$4 same translat$4 near10 table$4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/04/19 15:22
L26	48	firewall$4 same translat$4 near10 table$4 and @ad<"20030624"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/04/19 15:22
L27	24376098	firewall$4 same translat$4 near10 table$4 and fragment$6and @ad<"20030624"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/04/19 15:22
L28	21	firewall$4 same translat$4 near10 table$4 and fragment$6 and @ad<"20030624"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/04/19 15:23
L29	2	"US 20030154399"	US-PGPUB; USPAT; USOCR; DERWENT	OR	OFF	2007/04/19 16:12
L30	7	firewall$4 same (defrag$7 reassembl$6) same (NAT translat$4) and @ad<"20030624"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/04/19 16:13
S1	0	firewall$4 near10 reconstruct$4 near10 fragment$4 and @ad<"20030624"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/04/11 20:25
S32	1	reassembl$4 near10 packet$4 near10 appl$6 near10 firewall$4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/04/06 15:12

S33	0	reassembl$4 near10 packet$4 near10 polic$4 near10 firewall$4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/04/06 15:12
S34	8	reassembl$4 near10 packet$4 near10 firewall$4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/04/06 15:13
S35	47	reassembl$4 near10 packet$4 same firewall$4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/04/06 15:14
S36	28	reassembl$4 near10 packet$4 same firewall$4 and @ad<"20030626"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/04/06 15:14
S37	27	reassembl$4 near10 packet$4 same firewall$4 and @ad<"20030624"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/04/06 15:18
S38	34	"6219786"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/04/06 15:16
S39	17	assembl$4 near10 packet$4 same firewall$4 and @ad<"20030624"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/04/06 15:25
S40	0	hash$4 near10 fragment$6 near10 table$4 near10 (connection$4 firewall$4) and @ad<"20030624"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/04/06 15:25
S41	1	hash$4 near10 fragment$6 near10 (connection$4 firewall$4) and @ad<"20030624"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/04/06 15:26
S42	91	hash$4 near10 packet$4 near10 (connection$4 firewall$4) and @ad<"20030624"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/04/06 15:27

S43	20	hash$4 same fragment$4 same (connection$4 firewall$4) and @ad<"20030624"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/04/06 15:56
S44	57	hash$4 same fragment$4 same packet$4 and @ad<"20030624"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/04/06 15:56
S45	2	hash$4 same fragment$4 same packet$4 and @ad<"20030624" and 709/236.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/04/06 15:56
S46	7	hash$4 with fragment$4 same packet$4 and @ad<"20030624" and "709"/$.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/04/06 17:03
S47	3	hash$4 with fragment$4 same NAT and @ad<"20030624" and "709"/$. ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/04/06 17:07
S48	77	$2assemb$7 with fragment$4 same NAT and @ad<"20030624"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/04/06 17:07
S49	10	$2assemb$7 with fragment$4 same NAT and @ad<"20030624" and ("709".clas. "726".clas.)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/04/06 17:10
S50	0	reassemb$6 near10 (packet$4 fragment$4) near10 before near10 (rule$4 polic$6) and @ad<"20030624" and ("709".clas. "726".clas.)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/04/06 17:11
S51	22	reassemb$6 near10 (packet$4 fragment$4) near10 (rule$4 polic$6) and @ad<"20030624" and ("709".clas. "726".clas.)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/04/06 17:11
S52	7	fragment$4 near10 table$4 near10 connection$4 and @ad<"20030624" and ("709".clas. "726".clas.)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/04/06 18:13

S53	0	fragment$4 near10 table$4 near10 nat and @ad<"20030624" and ("709".clas. "726".clas.)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/04/06 18:09
S54	5	fragment$4 near10 table$4 near10 translat$4 and @ad<"20030624" and ("709".clas. "726".clas.)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/04/06 18:09
S55	325	packet$4 near10 table$4 near10 connection$4 and @ad<"20030624" and ("709".clas. "726".clas.)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/04/06 18:13
S56	10	packet$4 near10 table$4 near10 connection$4 near10 firewall$4 and @ad<"20030624" and ("709".clas. "726".clas.)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/04/06 18:14
S57	6	packet$4 near10 table$4 near10 connection$4 same fragment$4 and @ad<"20030624" and ("709".clas. "726".clas.)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/04/06 18:15
S58	0	(reconstruct$4 reassembl$4) near10 fragment$4 near10 (firewall$4 gateway$4) same (rule$4 policy policies) and @ad<"20030624"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/04/11 20:26
S59	6	(reconstruct$4 reassembl$4) near10 packet$4 near10 (firewall$4 gateway$4) same (rule$4 policy policies) and @ad<"20030624"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/04/11 20:28
S60	13	(reconstruct$4 reassembl$4) near10 packet$4 near10 (firewall$4 gateway$4) same (translat$4 NAT) and @ad<"20030624"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/04/11 20:31
S61	183	(reconstruct$4 reassembl$4) near10 packet$4 same (translat$4 NAT) and @ad<"20030624" not S60	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/04/11 20:34
S62	0	(reconstruct$4 reassembl$4) near10 packet$4 same (stateful near5 firewall$4) and @ad<"20030624" not S60	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/04/11 20:34

S63	6	(reconstruct$4 reassembl$4) same (stateful near5 firewall$4) and @ad<"20030624" not S60	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/04/11 20:35
S64	2	(reconstruct$4 reassembl$4fragment$8) and (stateful adj firewall$4) and @ad<"20030624" not S60	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/04/11 20:36
S65	8	(reconstruct$4 reassembl$4 fragment$8) and (stateful adj firewall$4) and @ad<"20030624" not S60	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/04/11 20:40
S66	0	(stateful adj firewall$4) and @ad<"20030624" and 709/236.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/04/11 20:40
S67	0	(stateful adj firewall$4) and (hash$4 index$4) same tuple$4 and @ad<"20030624"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/04/11 20:43
S68	1	(stateful adj firewall$4) same (NAT (address$4 network) near3 translat$4) same (hash$4 index$4) and @ad<"20030624"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/04/11 20:44
S69	2147	(NAT (address$4 network) near3 translat$4) same (hash$4 index$4) and @ad<"20030624"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/04/11 20:44
S70	468	(NAT (address$4 network) near3 translat$4) same (hash$4) and @ad<"20030624"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/04/11 20:44
S71	61	(NAT (address$4 network) near3 translat$4) same (hash$4) and @ad<"20030624" and "709".clas.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/04/11 20:45
S72	2	(NAT (address$4 network) near3 translat$4) same (hash$4) same connection$4 near3 table$4 and @ad<"20030624" and "709".clas.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/04/11 20:47

S73	2	(NAT (address$4 network) near3 translat$4) same (hash$4) same connection$4 near3 table$4 and @ad<"20030624"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/04/11 20:46
S74	5	(NAT (address$4 network) near3 translat$4) same (hash$4) same firewall$4 and @ad<"20030624" and "709".clas.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/04/11 20:52
S75	6	"6449467"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/04/11 20:52
S76	50	"6449647"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/04/11 20:53
S77	2	"6449647".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/04/11 20:53
S78	2	"US 20030154399"	US-PGPUB; USPAT; USOCR; DERWENT	OR	OFF	2007/04/11 21:00
S79	3	connection near3 table$4 same (NAT address near3 translat$4) near3 table$4 same hash$4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/04/11 21:02
S80	33	connection near3 table$4 and (NAT address near3 translat$4) near3 table$4 and hash$4 and @ad<"20030624"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/04/11 21:02
S81	17	connection near3 table$4 and (NAT address near3 translat$4) near3 table$4 and hash$4 and @ad<"20030624" and "709".clas.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/04/11 21:05
S82	59	connection near3 table$4 same hash$4 and @ad<"20030624" and "709".clas.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/04/11 21:05

S83	39239	connection near3 table$4 same hash$4 and firewall$4and @ad<"20030624" and "709".clas.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/04/11 21:05
S84	11	connection near3 table$4 same hash$4 and firewall$4 and @ad<"20030624" and "709".clas.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/04/11 21:16
S85	0	cross adj link$4 same CT same NT and @ad<"20030624"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/04/11 21:16
S86	10	cross adj link$4 same connect$4 same NaT and @ad<"20030624"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/04/11 21:17
S87	40	cross adj link$4 same table$4 same Translat$4 and @ad<"20030624"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/04/11 21:17
S88	0	cross adj link$4 same table$4 same Translat$4 and @ad<"20030624" and "709".clas.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/04/11 21:18
S89	0	cross adj link$4 same table$4 same Translat$4 and @ad<"20030624" and "726".clas.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/04/11 21:18
S90	117	hash$4 near10 (address$4 near5 translat$4) near10 table$4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/04/11 21:21
S91	91	hash$4 near10 (address$4 near5 translat$4) near10 table$4 and @ad<"20030624"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/04/11 21:21
S92	8	hash$4 near10 (address$4 near5 translat$4) near10 table$4 and @ad<"20030624" and "709".clas.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/04/11 21:22

S93	0	hash$4 near10 (address$4 near5 translat$4) near10 table$4 and @ad<"20030624" and "726".clas.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/04/11 21:23
S94	6	index$4 near10 (address$4 near5 translat$4) near10 table$4 and @ad<"20030624" and "726".clas.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/04/11 21:34
S95	0	index$4 near10 (NAT) near10 table$4 and @ad<"20030624" and "726".clas.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/04/11 21:35
S96	1	hash$4 near10 (NAT) near10 table$4 and @ad<"20030624" and "726".clas.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/04/11 21:35
S97	3	hash$4 near10 (NAT) near10 table$4 and @ad<"20030624"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/04/11 21:39
S98	8	hash$4 near10 (NAT) and @ad<"20030624"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/04/11 21:50
S99	23	(state$4 near5 firewall$4) same (NAT) and @ad<"20030624"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/04/11 21:52
S100	33	firewall$4 same (NAT near10 table$4) and @ad<"20030624"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/04/11 21:52